

New Mexico Lucero uplift
S.W. North Amerika
US scale
Paraná Basin
Karoo Basin
International scale
Triassic
Permian
Carboniferous
Devonian
Lopingian
Guadalupian
Cisuralian
Pennsylvanian
Mississippian
Changhsingian
Wuchapingian
Capitanian
Wordian
Roadian
Kungurian
Artinskian
Sakmarian
Asselian
Gzhelian
Kasimovian
Moscovian
Bashkirian
Serpukovian
Viséan
Tournaisian
Zechstein
Upper Rotliegend II
Upper Rotliegend I
Lower Rotliegend
Stephanian
Barruelian
Cantabrian
Westphalian
Namurian
Warnantian
Brigantian
Asbian
Livian
Holkerian
Moliniacian
Arundian
Chadian
Ivorian
Courceyan
Hasturian
Tatarian
Kazanian
Ufimian
Orenburgian
Ochoan
Capitainian
Wordian
Roadian
Cathedralian
Hessian
Leonardian
Wolfcampian
Virgillian
Missourian
Desmoinesian
Atokan
Morrowan
Chesterian
Osagean
Kinderhookian
Lengwuan
Kuhfengian
Xiangboan
Luodianian
Longlinian
Zisongian
Xiaodushanian
Dalan
Huashibanian
Luosuan
Dewuan
Shangsian
Jiusian
Tangbaouan
San Andreas
Glorieta Sandstone
Yeso
Abo
Bursum
Atrasando
Grey Mesa
Sandia
Kelly
Ochoan
Capitainian
Wordian
Roadian
Cathedralian
Hessian
Wolfcampian
Virgillian
Missourian
Desmoinesian
Atokan
Morrowan
Chesterian
Guadalupian
Leonardian
Wolfcampian
Pennsylvanian
Mississippian
Rio do Rasto
Teresina
Serra Alta
Irati
Palermo
Rio Bonito
Itarare Group
Beaufort Group
Burgersdorp Katberg
Balfour
Middelton
Teekloof
Abra-hams-kraal
Koo-nap
Ecca Group
Waterford Fort Brown
Ripon
Collingham
Whitehill
Volksrust
Vryheid
Pieter-maritzburg
Dwyka Group
IV
Hardap Sh. Mbr.
III
Ganigobis Sh. Mbr.
II
I
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360